Author Index

Abbott, F. S., see Wright, M. R. 565(1991)225
Abe, I., Ito, N., Noguchi, K., Kazama, M. and Kasai, K.-I.
Immobilized urokinase column as part of a specific detection system for plasminogen species separated by high-performance affinity chromatography 565(1991)183
Ackermans, M., see Takkenberg, B. 565(1991)430
Adams, R. N., see Cammack, J. 565(1991)529
Akabane, H., see Terazawa, K. 565(1991)453
Akane, A., see Fukushima, S. 565(1991)35
Akiyama, H., see Toyoda, H. 565(1991)141
Assadullahi, T. P., Dagli, E. and Warner, J. O.
High-performance liquid chromatography method for serum methotrexate levels in children with severe steroid-dependent asthma 565(1991)349
Axelson, J. E., see Wright, M. R. 565(1991)225
Axelson, J. E., see Yeleswaram, K. 565(1991)383
Barberi, M., Merlin, J. L. and Weber, B.
Sensitive determination of free and plasma protein-bound dipyridamole by high-performance liquid chromatography 565(1991)511
Bidgood, A. M., see Musson, D. G. 565(1991)89
Bishop, J. F., see Webster, L. K. 565(1991)482
Bissbort, S., see Ubbink, J. B. 565(1991)441
Boltralik, J. J., see McCue, B. A. 565(1991)255
Boutagy, J. and Shenfield, G. M.
Simplified procedure for the determination of sotalol in plasma by high-performance liquid chromatography 565(1991)523
Brazzell, R. K., see McCue, B. A. 565(1991)255
Breimer, D. D., see Roosemalen, M. C. M. 565(1991)516
Cammack, J., Oke, A. and Adams, R. N.
Simultaneous high-performance liquid chromatographic determination of ascorbic acid and dehydroascorbic acid in biological samples 565(1991)529
Chan, K., Lau, O. W. and Wong, Y. C.
Determination of pethidine and its major metabolites in human urine by gas chromatography 565(1991)247
Christie, W. W., see Hoving, E. B. 565(1991)103
Cividalli, G., see Zamir, I. 565(1991)424
Crinis, N. A., see Webster, L. K. 565(1991)482
Dagli, E., see Assadullahi, T. P. 565(1991)349
Davies, N. W., see Neill, G. P. 565(1991)207
Dawes, J., see Hodson, B. A. 565(1991)416
Degen, P. H. and Schneider, W.
Determination of 4-hydroxyandrostenedione in plasma and urine by extractive alkylation and electron-capture gas chromatography 565(1991)67
Deyl, Z.
Advances in electrophoresis, Vol. 3 (edited by A. Crambach, M. J. Dunn and B. J. Radola) (Book Review) 565(1991)533
Dizdar, N., Henriksson, A. and Kågedal, B.
Determination of L-3,4-dihydroxyphenylalanine in biological fluids and tissues 565(1991)1
Dowsett, M., see Poon, G. K. 565(1991)75
Duthu, G. S., see Shepard, R. M. 565(1991)321
Edfort, M. J., see Kvalo, L. T. 565(1991)391
Endert, E., see Takkenberg, B. 565(1991)430
Ferraina, R. A., see Shepard, R. M. 565(1991)321
Firth, J., see Poon, G. K. 565(1991)75
Friedrich, G., see Rissler, K. 565(1991)375
Fukushima, S., Akane, A., Matsubara, K., Shiono, H., Morishita, H. and Nakada, F.
Simultaneous determination of testosterone and androstadienone (sex attractant) in human plasma by gas chromatography–mass spectrometry with high-resolution selected-ion monitoring 565(1991)35
Funaki, T., see Roosemalen, M. C. M. 565(1991)516
Godbillon, J., see Sioufi, A. 565(1991)401
Grushka, E., see Zamir, I. 565(1991)424
Gupta, R. N.
Analysis for drugs and metabolites including anti-infective agents (edited by E. Reid and I. D. Wilson) (Book Review) 565(1991)534
Harvey, D. J.
Identification by gas chromatography and mass spectrometry of lipids from the rat Harderian gland 565(1991)27
Hayward Vermaak, W. J., see Ubbink, J. B. 565(1991)441
Hench, B. D., see Ruckmick, S. C. 565(1991)277
Henriksson, A., see Dizdar, N. 565(1991)1
Hiemke, C., see Süss, S. 565(1991)363
Hillert, A., see Süss, S. 565(1991)363
Hodson, B. A., Pepper, D. S. and Dawes, J.
Novel affinity chromatographic system for the single-step purification of glycosaminoglycans from complex systems using volatile buffers 565(1991)416

Author Index

Abbott, F. S., see Wright, M. R. 565(1991)225
Abe, I., Ito, N., Noguchi, K., Kazama, M. and Kasai, K.-I.
Immobilized urokinase column as part of a specific detection system for plasminogen species separated by high-performance affinity chromatography 565(1991)183
Ackermans, M., see Takkenberg, B. 565(1991)430
Adams, R. N., see Cammack, J. 565(1991)529
Akabane, H., see Terazawa, K. 565(1991)453
Akane, A., see Fukushima, S. 565(1991)35
Akiyama, H., see Toyoda, H. 565(1991)141
Assadullahi, T. P., Dagli, E. and Warner, J. O.
High-performance liquid chromatography method for serum methotrexate levels in children with severe steroid-dependent asthma 565(1991)349
Axelson, J. E., see Wright, M. R. 565(1991)225
Axelson, J. E., see Yeleswaram, K. 565(1991)383
Barberi, M., Merlin, J. L. and Weber, B.
Sensitive determination of free and plasma protein-bound dipyridamole by high-performance liquid chromatography 565(1991)511
Bidgood, A. M., see Musson, D. G. 565(1991)89
Bishop, J. F., see Webster, L. K. 565(1991)482
Bissbort, S., see Ubbink, J. B. 565(1991)441
Boltralik, J. J., see McCue, B. A. 565(1991)255
Boutagy, J. and Shenfield, G. M.
Simplified procedure for the determination of sotalol in plasma by high-performance liquid chromatography 565(1991)523
Brazzell, R. K., see McCue, B. A. 565(1991)255
Breimer, D. D., see Roosemalen, M. C. M. 565(1991)516
Cammack, J., Oke, A. and Adams, R. N.
Simultaneous high-performance liquid chromatographic determination of ascorbic acid and dehydroascorbic acid in biological samples 565(1991)529
Chan, K., Lau, O. W. and Wong, Y. C.
Determination of pethidine and its major metabolites in human urine by gas chromatography 565(1991)247
Christie, W. W., see Hoving, E. B. 565(1991)103
Cividalli, G., see Zamir, I. 565(1991)424
Crinis, N. A., see Webster, L. K. 565(1991)482
Dagli, E., see Assadullahi, T. P. 565(1991)349
Davies, N. W., see Neill, G. P. 565(1991)207
Dawes, J., see Hodson, B. A. 565(1991)416
Degen, P. H. and Schneider, W.
Determination of 4-hydroxyandrostenedione in plasma and urine by extractive alkylation and electron-capture gas chromatography 565(1991)67
Deyl, Z.
Advances in electrophoresis, Vol. 3 (edited by A. Crambach, M. J. Dunn and B. J. Radola) (Book Review) 565(1991)533
Dizdar, N., Henriksson, A. and Kågedal, B.
Determination of L-3,4-dihydroxyphenylalanine in biological fluids and tissues 565(1991)1
Dowsett, M., see Poon, G. K. 565(1991)75
Duthu, G. S., see Shepard, R. M. 565(1991)321
Edfort, M. J., see Kvalo, L. T. 565(1991)391
Endert, E., see Takkenberg, B. 565(1991)430
Ferraina, R. A., see Shepard, R. M. 565(1991)321
Firth, J., see Poon, G. K. 565(1991)75
Friedrich, G., see Rissler, K. 565(1991)375
Fukushima, S., Akane, A., Matsubara, K., Shiono, H., Morishita, H. and Nakada, F.
Simultaneous determination of testosterone and androstadienone (sex attractant) in human plasma by gas chromatography–mass spectrometry with high-resolution selected-ion monitoring 565(1991)35
Funaki, T., see Roosemalen, M. C. M. 565(1991)516
Godbillon, J., see Sioufi, A. 565(1991)401
Grushka, E., see Zamir, I. 565(1991)424
Gupta, R. N.
Analysis for drugs and metabolites including anti-infective agents (edited by E. Reid and I. D. Wilson) (Book Review) 565(1991)534
Harvey, D. J.
Identification by gas chromatography and mass spectrometry of lipids from the rat Harderian gland 565(1991)27
Hayward Vermaak, W. J., see Ubbink, J. B. 565(1991)441
Hench, B. D., see Ruckmick, S. C. 565(1991)277
Henriksson, A., see Dizdar, N. 565(1991)1
Hiemke, C., see Süss, S. 565(1991)363
Hillert, A., see Süss, S. 565(1991)363
Hodson, B. A., Pepper, D. S. and Dawes, J.
Novel affinity chromatographic system for the single-step purification of glycosaminoglycans from complex systems using volatile buffers 565(1991)416

Hoffman, D. A., Wallace, S. M. and Verbeeck, R. K.
Simple method for the determination of inorganic sulfate in human serum and urine using single-column ion chromatography 565(1991)447
Honda, A., Shoda, J., Tanaka, N., Matsuzaki, Y., Osuga, T., Shigematsu, N., Tohma, M. and Miyazaki, H.
Simultaneous assay of the activities of two key enzymes in cholesterol metabolism by gas chromatography–mass spectrometry 565(1991)53
Houbová, H., see Stehlík, P. 565(1991)477
Hoving, E. B., Muskiet, F. A. J. and Christie, W. W.
Separation of cholesterol esters by silver ion chromatography using high-performance liquid chromatography or solid-phase extraction columns packed with a bonded sulphonic acid phase 565(1991)103
Hoyer, G. L.
Pirmenol determination by high-performance liquid chromatography 565(1991)497
Imanari, T., see Toyoda, H. 565(1991)141
Ito, N., see Abe, I. 565(1991)183
Iványi, T., see Van de Heijning, B. J. M. 565(1991)159
Jarman, M., see Poon, G. K. 565(1991)75
Kågedal, B., see Dizdar, N. 565(1991)1
Kaji, H., see Terazawa, K. 565(1991)453
Kasai, K.-I., see Abe, I. 565(1991)183
Kazama, M., see Abe, I. 565(1991)183
Kiang, C.-H. and Lee, C.
High-performance liquid chromatographic determination of the 1,4-diketo and 1,4-diketo-2,3-dihydroxy metabolites of lonapalene in rat urine 565(1991)339
Kinahan, I. M. and Smyth, M. R.
High-performance liquid chromatographic determination of PEG 600 in human urine 565(1991)297
Kneer, J., see Rissler, K. 565(1991)375
Kodama, H., see Sugahara, K. 565(1991)408
Koekkoek-van den Herik, I., see Van de Heijning, B. J. M. 565(1991)159
Kokkonen, P. S., Niessen, W. M. A., Tjaden, U. R. and Van der Greef, J.
Bioanalysis of erythromycin 2'-ethylsuccinate in plasma using phase-system switching continuous-flow fast atom bombardment liquid chromatography–mass spectrometry 565(1991)265
Komine, Y., see Shimada, K. 565(1991)111
Kvalo, L. T., Wilhelm, J. A., Edfort, M. J. and Venturella, V. S.
Determination of [^{3}H]brifentanil, a potent narcotic analgesic, from rat serum by high-performance liquid chromatography with on-line radioactive detection 565(1991)391
Lambertsen, G., see Lie, Ø. 565(1991)119
Lau, O. W., see Chan, K. 565(1991)247
Lee, C., see Kiang, C.-H. 565(1991)339
Lee, T., Yeung, E. S. and Sharma, M.
Micellar electrokinetic capillary chromatographic separation and laser-induced fluorescence detection of 2'-deoxynucleoside 5'-monophosphates of normal and modified bases 565(1991)197
Lefebvre, R. A., see Rosseel, M. T. 565(1991)504
Lie, Ø. and Lambertsen, G.
Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography 565(1991)119
Mangoni, P., see Sioufi, A. 565(1991)401
Mashige, F. and Ohkubo, A.
Determination of proteins in urine by high-performance liquid chromatography with spectrophotometric detection using a pyrogallol red–molybdate complex 565(1991)173
Matsubara, K., see Fukushima, S. 565(1991)35
Matsuzaki, Y., see Honda, A. 565(1991)53
McCue, B. A., Park, Y. H., Brazzell, R. K. and Boltralik, J. J.
Capillary gas chromatographic–electron-capture assay for the aldose reductase inhibitor imirestat in lens and plasma 565(1991)255
McLean, S., see Neill, G. P. 565(1991)207
McMorland, G. H., see Wright, M. R. 565(1991)225
Merlin, J. L., see Barberi, M. 565(1991)511
Mertens, K., Rogiers, V., Sonck, W. and Vercruysse, A.
Measurement of reduced and oxidized glutathione in cultures of adult rat hepatocytes 565(1991)149
Milne, R. W., Nation, R. L., Reynolds, G. D., Somogyi, A. A. and Van Crugten, J. T.
High-performance liquid chromatographic determination of morphine and its 3- and 6-glucuronide metabolites: improvements to the method and application to stability studies 565(1991)457
Mitamura, K., see Shimada, K. 565(1991)111
Miyazaki, H., see Honda, A. 565(1991)53
Morishita, H., see Fukushima, S. 565(1991)35

Motoki, K., see Toyoda, H. 565(1991)141
Mullins, M. A., see Shepard, R. M. 565(1991)321
Muskiet, F. A. J., see Hoving, E. B. 565(1991)103
Musson, D. G., Bidgood, A. M. and Olejnik, O. Assay methodology for prednisolone, prednisolone acetate and prednisolone sodium phosphate in rabbit aqueous humor and ocular physiological solutions 565(1991)89
Nagata, T. and Saeki, M. Determination of thiamphenicol residues in chicken muscles by column liquid chromatography 565(1991)471
Nakada, F., see Fukushima, S. 565(1991)35
Nation, R. L., see Milne, R. W. 565(1991)457
Neill, G. P., Davies, N. W. and McLean, S. Automated screening procedure using gas chromatography–mass spectrometry for identification of drugs after their extraction from biological samples 565(1991)207
Niessen, W. M. A., see Kokkonen, P. S. 565(1991)265
Nishioka, R., Umeda, I., Ōi, N., Tabata, S. and Uno, K. Determination of felodipine and its metabolites in plasma using capillary gas chromatography with electron-capture detection and their identification by gas chromatography–mass spectrometry 565(1991)237
Noguchi, K., see Abe, I 565(1991)183
Ohkubo, A., see Mashige, F. 565(1991)173
Ōi, N., see Nishioka, R. 565(1991)237
Ojala-Karlsson, P. and Scheinin, M. Improved high-performance liquid chromatographic method for the routine determination of unconjugated 3-methoxy-4-hydroxyphenylethyleneglycol in human plasma using solid-phase extraction and electrochemical detection 565(1991)131
Oke, A., see Cammack, J. 565(1991)529
Olejnik, O., see Musson, D. G. 565(1991)89
Osuga, T., see Honda, A. 565(1991)53
Park, Y. H., see McCue, B. A. 565(1991)255
Patsalos, P. N., see Semba, J. 565(1991)357
Pearson, S. J. and Reynolds, G. P. Determination of 3-hydroxykynurenine in human brain and plasma by high-performance liquid chromatography with electrochemical detection. Increased concentrations in hepatic encephalopathy 565(1991)436
Pepper, D. S., see Hodson, B. A. 565(1991)416
Poon, G. K., Jarman, M., Rowlands, M. G., Dowsett, M. and Firth, J. Determination of 4-hydroxyandrost-4-ene-3,17-dione metabolism in breast cancer patients using high-performance liquid chromatography–mass spectrometry 565(1991)75
Ramzan, I. High-performance liquid chromatographic assay for laudanosine in biological fluids and tissue for neurotoxic studies in rats 565(1991)465
Ratnaraj, N., see Semba, J. 565(1991)357
Reynolds, G. D., see Milne, R. W. 565(1991)457
Reynolds, G. P., see Pearson, S. J. 565(1991)436
Richard, J., see Sioufi, A. 565(1991)401
Riggs, K. W., see Wright, M. R. 565(1991)225
Rissler, K., Friedrich, G. and Kneer, J. Determination of the retinoid (*E*)-1,2,3,4-tetrahydro-1,1,4,4-tetramethyl-6-(1-methyl-2-phenylethenyl)naphthalene and its phenolic metabolite in human plasma by reversed-phase high-performance liquid chromatography 565(1991)375
Roberts, M. S., see Shen, J. 565(1991)309
Rodchenkov, G. M., Vedenin, A. N., Uralets, V. P. and Semenov, V. A. Characterization of prednisone, prednisolone and their metabolites by gas chromatography–mass spectrometry 565(1991)45
Rogiers, V., see Mertens, K. 565(1991)149
Roosemalen, M. C. M., Soons, P. A., Funaki, T. and Breimer, D. D. High-performance liquid chromatographic determination of the polar metabolites of nifedipine in plasma, blood and urine 565(1991)516
Rosseel, M. T. and Lefebvre, R. A. Determination of cetirizine in human urine by high-performance liquid chromatography 565(1991)504
Rowlands, M. G., see Poon, G. K. 565(1991)75
Ruckmick, S. C. and Hench, B. D. Direct analysis of the dopamine agonist (−)-2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin hydrochloride in plasma by high-performance liquid chromatography using two-dimensional column switching 565(1991)277
Rurak, D. W., see Wright, M. R. 565(1991)225
Rurak, D. W., see Yeleswaram, K. 565(1991)383
Rykert, U. M., see Schwende, F. J. 565(1991)488
Saeki, M., see Nagata, T. 565(1991)471
Scheinin, M., see Ojala-Karlsson, P. 565(1991)131
Schneider, W., see Degen, P. H. 565(1991)67

Schöllnhammer, G., see Süss, S. 565(1991)363
Schwende, F. J. and Rykert, U. M.
Determination of alentamol hydrobromide, a novel antipsychotic agent, in human blood plasma and urine by high-performance liquid chromatography with fluorescence detection and solid-phase extraction 565(1991)488
Seiler, W., see Süss, S. 565(1991)363
Semba, J., Ratnaraj, N. and Patsalos, P. N.
Simple and rapid micro-analytical procedures for the estimation of milacemide and its metabolite glycinamide in rat plasma and cerebrospinal fluid by high-performance liquid chromatography 565(1991)357
Semenov, V. A., see Rodchenkov, G. M. 565(1991)45
Sharma, M., see Lee, T. 565(1991)197
Shen, J., Wanwimolruk, S. and Roberts, M. S.
Novel direct high-performance liquid chromatographic method for determination of salicylate glucuronide conjugates in human urine 565(1991)309
Shenfield, G. M., see Boutagy, J. 565(1991)523
Shepard, R. M., Duthu, G. S., Ferraina, R. A. and Mullins, M. A.
High-performance liquid chromatographic assay with electrochemical detection for azithromycin in serum and tissues 565(1991)321
Shigematsu, N., see Honda, A. 565(1991)53
Shimada, K., Komine, Y. and Mitamura, K.
High-performance liquid chromatographic separation of bile acid pyrenacyl esters with cyclodextrin-containing mobile phase 565(1991)111
Shinomiya, K., see Toyoda, H. 565(1991)141
Shiono, H., see Fukushima, S. 565(1991)35
Shoda, J., see Honda, A. 565(1991)53
Sioufi, A., Richard, J., Mangoni, P. and Godbillon, J.
Determination of diclofenac in plasma using a fully automated analytical system combining liquid–solid extraction with liquid chromatography 565(1991)401
Smyth, M. R., see Kinahan, I. M. 565(1991)297
Somogyi, A. A., see Milne, R. W. 565(1991)457
Sonck, W., see Mertens, K. 565(1991)149
Soons, P. A., see Roosemalen, M. C. M. 565(1991)516
Stehlik, P. and Houbová, H.
Determination of amidepin in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection 565(1991)477
Stokes, K. H., see Webster, L. K. 565(1991)482
Sugahara, K. and Kodama, H.
Liquid chromatography–mass spectrometry for simultaneous analyses of iminodipeptides containing an N-terminal or a C-terminal proline 565(1991)408
Süss, S., Seiler, W., Hiemke, C., Schöllnhammer, G., Wetzel, H. and Hillert, A.
Determination of benperidol and its reduced metabolite in human plasma by high-performance liquid chromatography and electrochemical detection 565(1991)363
Tabata, S., see Nishioka, R. 565(1991)237
Takatori, T., see Terazawa, K. 565(1991)453
Takkenberg, B., Endert, E., Van Ingen, H. E. and Ackermans, M.
Improved method for the determination of serotonin in plasma by high-performance liquid chromatography using on-line sample pre-treatment 565(1991)430
Tanaka, N., see Honda, A. 565(1991)53
Tanikawa, M., see Toyoda, H. 565(1991)141
Taylor, S. M., see Wright, M. R. 565(1991)225
Terazawa, K., Kaji, H., Akabane, H. and Takatori, T.
Determination of dimethyl sulphide in blood and adipose tissue by headspace gas analysis 565(1991)453
Tjaden, U. R., see Kokkonen, P. S. 565(1991)265
Tohma, M., see Honda, A. 565(1991)53
Toyoda, H., Motoki, K., Tanikawa, M., Shinomiya, K., Akiyama, H. and Imanari, T.
Determination of human urinary hyaluronic acid, chondroitin sulphate and dermatan sulphate as their unsaturated disaccharides by high-performance liquid chromatography 565(1991)141
Ubbink, J. B., Hayward Vermaak, W. J. and Bissbort, S.
Rapid high-performance liquid chromatographic assay for total homocysteine levels in human serum 565(1991)441
Umeda, I., see Nishioka, R. 565(1991)237
Uno, K., see Nishioka, R. 565(1991)237
Uralets, V. P., see Rodchenkov, G. M. 565(1991)45
Van Crugten, J. T., see Milne, R. W. 565(1991)457
Van de Heijning, B. J. M., Koekkoek-van den Herik, I., Iványi, T. and Van Wimersma Greidanus, T. B.
Solid-phase extraction of plasma vasopressin: evaluation, validation and application 565(1991)159

Van der Greef, J., see Kokkonen, P. S. 565(1991)265
Van der Weyde, M. P., see Wright, M. R. 565(1991)225
Van Ingen, H. E., see Takkenberg, B. 565(1991)430
Van Wimersma Greidanus, T. B., see Van de Heijning, B. J. M. 565(1991)159
Vedenin, A. N., see Rodchenkov, G. M. 565(1991)45
Venturella, V. S., see Kvalo, L. T. 565(1991)391
Verbeeck, R. K., see Hoffman, D. A. 565(1991)447
Vercruysse, A., see Mertens, K. 565(1991)149
Wallace, S. M., see Hoffman, D. A. 565(1991)447
Wanwimolruk, S., see Shen, J. 565(1991)309
Warner, J. O., see Assadullahi, T. P. 565(1991)349
Weber, B., see Barberi, M. 565(1991)511
Webster, L. K., Crinis, N. A., Stokes, K. H. and Bishop, J. F.
High-performance liquid chromatographic method for the determination of toremifene and its major human metabolites 565(1991)482
Wetzel, H., see Süss, S. 565(1991)363
Wilhelm, J. A., see Kvalo, L. T. 565(1991)391
Wong, Y. C., see Chan, K. 565(1991)247
Wright, M. R., Axelson, J. E., Abbott, F. S., Riggs, K. W., Van der Weyde, M. P., Taylor, S. M., McMorland, G. H. and Rurak, D. W.
Determination of ritodrine in biological fluids of the pregnant sheep by fused-silica capillary gas chromatography using electron-capture detection 565(1991)225
Yeleswaram, K., Axelson, J. E. and Rurak, D. W.
Sensitive microbore high-performance liquid chromatographic assay for labetalol in the biological fluids of pregnant sheep 565(1991)383
Yeung, E. S., see Lee, T. 565(1991)197
Zamir, I., Grushka, E. and Cividalli, G.
High-performance liquid chromatographic analysis of free palmitic and stearic acids in cerebrospinal fluid 565(1991)424

Compound Index

Alentamol
Determination of alentamol hydrobromide, a novel antipsychotic agent, in human blood plasma and urine by high-performance liquid chromatography with fluorescence detection and solid-phase extraction 565(1991)488

Amidepin
Determination of amidepin in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection 565(1991)477

Androstadienone
Simultaneous determination of testosterone and androstadienone (sex attractant) in human plasma by gas chromatography–mass spectrometry with high-resolution selected-ion monitoring 565(1991)35

Ascorbic acid
Simultaneous high-performance liquid chromatographic determination of ascorbic acid and dehydroascorbic acid in biological samples 565(1991)529

Azithromycin
High-performance liquid chromatographic assay with electrochemical detection for azithromycin in serum and tissues 565(1991)321

Benperidol
Determination of benperidol and its reduced metabolite in human plasma by high-performance liquid chromatography and electrochemical detection 565(1991)363

Bile acid pyrenacyl esters
High-performance liquid chromatographic separation of bile acid pyrenacyl esters with cyclodextrin-containing mobile phase 565(1991)111

Brifentanil
Determination of [^{3}H]brifentanil, a potent narcotic analgesic, from rat serum by high-performance liquid chromatography with on-line radioactive detection 565(1991)391

Cetirizine
Determination of cetirizine in human urine by high-performance liquid chromatography 565(1991)504

Cholesterol esters
Separation of cholesterol esters by silver ion chromatography using high-performance liquid chromatography or solid-phase extraction columns packed with a bonded sulphonic acid phase 565(1991)103

Cholesterol 7α-hydroxylase
Simultaneous assay of the activities of two key enzymes in cholesterol metabolism by gas chromatography–mass spectrometry 565(1991)53

Chondroitin sulphate
Determination of human urinary hyaluronic acid, chondroitin sulphate and dermatan sulphate as their unsaturated disaccharides by high-performance liquid chromatography 565(1991)141

Corticosteroids
Characterization of prednisone, prednisolone and their metabolites by gas chromatography–mass spectrometry 565(1991)45

(Deaminohydroxy)toremifene
High-performance liquid chromatographic method for the determination of toremifene and its major human metabolites 565(1991)482

Dehydroascorbic acid
Simultaneous high-performance liquid chromatographic determination of ascorbic acid and dehydroascorbic acid in biological samples 565(1991)529

2′-Deoxynucleoside 5′-monophosphates
Micellar electrokinetic capillary chromatographic separation and laser-induced fluorescence detection of 2′-deoxynucleoside 5′-monophosphates of normal and modified bases 565(1991)197

Dermatan sulphate
Determination of human urinary hyaluronic acid, chondroitin sulphate and dermatan sulphate as their unsaturated disaccharides by high-performance liquid chromatography 565(1991)141

N-Desmethyltoremifene
High-performance liquid chromatographic method for the determination of toremifene and its major human metabolites 565(1991)482

Diclofenac
Determination of diclofenac in plasma using a fully automated analytical system combining liquid–solid extraction with liquid chromatography 565(1991)401

L-3,4-Dihydroxyphenylalanine
Determination of L-3,4-dihydroxyphenylalanine in biological fluids and tissues 565(1991)1

1,4-Diketo-2,3-dihydroxylonapalene
High-performance liquid chromatographic determination of the 1,4-diketo and 1,4-diketo-2,3-dihydroxy metabolites of lonapalene in rat urine 565(1991)339

1,4-Diketolonapalene
High-performance liquid chromatographic determination of the 1,4-diketo and 1,4-diketo-2,3-dihydroxy metabolites of lonapalene in rat urine 565(1991)339

Dimethyl sulphide
Determination of dimethyl sulphide in blood and adipose tissue by headspace gas analysis 565(1991)453

Dipyridamole
Sensitive determination of free and plasma protein-bound dipyridamole by high-performance liquid chromatography 565(1991)511

DOPA
Determination of L-3,4-dihydroxyphenylalanine in biological fluids and tissues 565(1991)1

Dopamine agonist
Direct analysis of the dopamine agonist (−)-2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin hydrochloride in plasma by high-performance liquid chromatography using two-dimensional column switching 565(1991)277

Drugs
Automated screening procedure using gas chromatography–mass spectrometry for identification of drugs after their extraction from biological samples 565(1991)207

Enzymes
Simultaneous assay of the activities of two key enzymes in cholesterol metabolism by gas chromatography–mass spectrometry 565(1991)53

Erythromycin 2′-ethylsuccinate
Bioanalysis of erythromycin 2′-ethylsuccinate in plasma using phase-system switching continuous-flow fast atom bombardment liquid chromatography 565(1991)265

Fatty acids
Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography 565(1991)119

High-performance liquid chromatographic analysis of free palmitic and stearic acids in cerebrospinal fluid 565(1991)424

Felodipine
Determination of felodipine and its metabolites in plasma using capillary gas chromatography with electron-capture detection and their identification by gas chromatography–mass spectrometry 565(1991)237

Free fatty acids
High-performance liquid chromatographic analysis of free palmitic and stearic acids in cerebrospinal fluid 565(1991)424

Gentisic acid
Novel direct high-performance liquid chromatographic method for determination of salicylate glucuronide conjugates in human urine 565(1991)309

Glutathione, oxidized
Measurement of reduced and oxidized glutathione in cultures of adult rat hepatocytes 565(1991)149

Glutathione, reduced
Measurement of reduced and oxidized glutathione in cultures of adult rat hepatocytes 565(1991)149

Glycerophospholipids
Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography 565(1991)119

Glycinamide
Simple and rapid micro-analytical procedures for the estimation of milacemide and its metabolite glycinamide in rat plasma and cerebrospinal fluid by high-performance liquid chromatography 565(1991)357

Glycosaminoglycans
Novel affinity chromatographic system for the single-step purification of glycosaminoglycans from complex systems using volatile buffers 565(1991)416

Homocysteine
Rapid high-performance liquid chromatographic assay for total homocysteine levels in human serum 565(1991)441

Hyaluronic acid
Determination of human urinary hyaluronic acid, chondroitin sulphate and dermatan sulphate as their unsaturated disaccharides by high-performance liquid chromatography 565(1991)141

4-Hydroxyandrostenedione
Determination of 4-hydroxyandrostenedione in plasma and urine by extractive alkylation and electron-capture gas chromatography 565(1991)67

4-Hydroxyandrost-4-ene-3,17-dione
Determination of 4-hydroxyandrost-4-ene-3,17-dione metabolism in breast cancer patients using high-performance liquid chromatography–mass spectrometry 565(1991)75

3-Hydroxykynurenine
Determination of 3-hydroxykynurenine in human brain and plasma by high-performance liquid chromatography with electrochemical detection. Increased concentrations in hepatic encephalopathy 565(1991)436

3-Hydroxy-3-methylglutaryl-coenzyme A
Simultaneous assay of the activities of two key enzymes in cholesterol metabolism by gas chromatography–mass spectrometry 565(1991)53

5-Hydroxytryptamine
Improved method for the determination of serotonin in plasma by high-performance liquid chromatography using on-line sample pre-treatment 565(1991)430

Iminodipeptides
Liquid chromatography–mass spectrometry for simultaneous analyses of iminodipeptides containing an N-terminal or a C-terminal proline 565(1991)408

Imirestat
Capillary gas chromatographic–electron-capture assay for the aldose reductase inhibitor imirestat in lens and plasma 565(1991)255

Labetalol
Sensitive microbore high-performance liquid chromatographic assay for labetalol in the biological fluids of pregnant sheep 565(1991)383

Laudanosine
High-performance liquid chromatographic assay for laudanosine in biological fluids and tissue for neurotoxic studies in rats 565(1991)465

Lipids
Identification by gas chromatography and mass spectrometry of lipids from the rat Harderian gland 565(1991)27

Lonapalene
High-performance liquid chromatographic determination of the 1,4-diketo and 1,4-diketo-2,3-dihydroxy metabolites of lonapalene in rat urine 565(1991)339

Methotrexate
High-performance liquid chromatography method for serum methotrexate levels in children with severe steroid-dependent asthma 565(1991)349

3-Methoxy-4-hydroxyphenylethylene glycol
Improved high-performance liquid chromatographic method for the routine determination of unconjugated 3-methoxy-4-hydroxyphenylethyleneglycol in human plasma using solid-phase extraction and electrochemical detection 565(1991)131

Milacemide
Simple and rapid micro-analytical procedures for the estimation of milacemide and its metabolite glycinamide in rat plasma and cerebrospinal fluid by high-performance liquid chromatography 565(1991)357

Molybdate
Determination of proteins in urine by high-performance liquid chromatography with spectrophotometric detection using a pyrogallol red–molybdate complex 565(1991)173

Morphine
High-performance liquid chromatographic determination of morphine and its 3- and 6-glucuronide metabolites: improvements to the method and application to stability studies 565(1991)457

Morphine-3-glucuronide
High-performance liquid chromatographic determination of morphine and its 3- and 6-glucuronide metabolites: improvements to the method and application to stability studies 565(1991)457

Morphine-6-glucuronide
High-performance liquid chromatographic determination of morphine and its 3- and 6-glucuronide metabolites: improvements to the method and application to stability studies 565(1991)457

Nifedipine
High-performance liquid chromatographic determination of the polar metabolites of nifedipine in plasma, blood and urine 565(1991)516

Palmitic acid
High-performance liquid chromatographic analysis of free palmitic and stearic acids in cerebrospinal fluid 565(1991)424

PEG 600
High-performance liquid chromatographic determination of PEG 600 in human urine 565(1991)297

Pethidine
Determination of pethidine and its major metabolites in human urine by gas chromatography 565(1991)247

Phosphatidylcholine
Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography 565(1991)119

Phosphatidylethanolamine
Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography 565(1991)119

Phosphatidylinositol
Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography 565(1991)119

Phosphatidylserine
Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography 565(1991)119

Pirmenol
Pirmenol determination by high-performance liquid chromatography 565(1991)497

Plasminogens
Immobilized urokinase column as part of a specific detection system for plasminogen species separated by high-performance affinity chromatography 565(1991)183

Polyethylene glycols
High-performance liquid chromatographic determination of PEG 600 in human urine 565(1991)297

Polyunsaturated fatty acids
Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography 565(1991)119

Prednisolone
Characterization of prednisone, prednisolone and their metabolites by gas chromatography–mass spectrometry 565(1991)45

Assay methodology for prednisolone, prednisolone acetate and prednisolone sodium phosphate in rabbit aqueous humor and ocular physiological solutions 565(1991)89

Prednisolone acetate
Assay methodology for prednisolone, prednisolone acetate and prednisolone sodium phosphate in rabbit aqueous humor and ocular physiological solutions 565(1991)89

Prednisolone sodium phosphate
Assay methodology for prednisolone, prednisolone acetate and prednisolone sodium phosphate in rabbit aqueous humor and ocular physiological solutions 565(1991)89

Prednisone
Characterization of prednisone, prednisolone and their metabolites by gas chromatography–mass spectrometry 565(1991)45

(−)-2-(N-Propyl-N-2-thienylethylamino)-5-hydroxytetralin hydrochloride
Direct analysis of the dopamine agonist (−)-2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin hydrochloride in plasma by high-performance liquid chromatography using two-dimensional column switching 565(1991)277

Proteins
Determination of proteins in urine by high-performance liquid chromatography with spectrophotometric detection using a pyrogallol red–molybdate complex 565(1991)173

Pyrogallol red
Determination of proteins in urine by high-performance liquid chromatography with spectrophotometric detection using a pyrogallol red–molybdate complex 565(1991)173

Retinoids
Determination of the retinoid (*E*)-1,2,3,4-tetrahydro-1,1,4,4-tetramethyl-6-(1-methyl-2-phenylethenyl)naphthalene and its phenolic metabolite in human plasma by reversed-phase high-performance liquid chromatography 565(1991)375

Ritodrine
Determination of ritodrine in biological fluids of the pregnant sheep by fused-silica capillary gas chromatography using electron-capture detection 565(1991)225

Salicyl acyl glucuronide
Novel direct high-performance liquid chromatographic method for determination of salicylate glucuronide conjugates in human urine 565(1991)309

Salicylic acid
Novel direct high-performance liquid chromatographic method for determination of salicylate glucuronide conjugates in human urine 565(1991)309

Salicyl phenolic glucuronide
Novel direct high-performance liquid chromatographic method for determination of salicylate glucuronide conjugates in human urine 565(1991)309

Salicyluric acid
Novel direct high-performance liquid chromatographic method for determination of salicylate glucuronide conjugates in human urine 565(1991)309

Salicyluric phenolic glucuronide
Novel direct high-performance liquid chromatographic method for determination of salicylate glucuronide conjugates in human urine 565(1991)309

Serotonin
Improved method for the determination of serotonin in plasma by high-performance liquid chromatography using on-line sample pre-treatment 565(1991)430

Sotalol
Simplified procedure for the determination of sotalol in plasma by high-performance liquid chromatography 565(1991)523

Stearic acid
High-performance liquid chromatographic analysis of free palmitic and stearic acids in cerebrospinal fluid 565(1991)424

Steroids
Simultaneous determination of testosterone and androstadienone (sex attractant) in human plasma by gas chromatography–mass spectrometry with high-resolution selected-ion monitoring 565(1991)35

Characterization of prednisone, prednisolone and their metabolites by gas chromatography–mass spectrometry 565(1991)45

Determination of 4-hydroxyandrostenedione in plasma and urine by extractive alkylation and electron-capture gas chromatography 565(1991)67

Determination of 4-hydroxyandrost-4-ene-3,17-dione metabolism in breast cancer patients using high-performance liquid chromatography–mass spectrometry 565(1991)75

Assay methodology for prednisolone, prednisolone acetate and prednisolone sodium phosphate in rabbit aqueous humor and ocular physiological solutions 565(1991)89

Sulphate, inorganic
Simple method for the determination of inorganic sulfate in human serum and urine using single-column ion chromatography 565(1991)447

Testosterone
Simultaneous determination of testosterone and androstadienone (sex attractant) in human plasma by gas chromatography–mass spectrometry with high-resolution selected-ion monitoring 565(1991)35

(*E*)-1,2,3,4-Tetrahydro-1,1,4,4-tetramethyl-6-(1-methyl-2-phenylethenyl)naphthalene
Determination of the retinoid (*E*)-1,2,3,4-tetrahydro-1,1,4,4-tetramethyl-6-(1-methyl-2-phenylethenyl)naphthalene and its phenolic metabolite in human plasma by reversed-phase high-performance liquid chromatography 565(1991)375

Thiamphenicol
Determination of thiamphenicol residues in chicken muscles by column liquid chromatography 565(1991)471

Toremifene
High-performance liquid chromatographic method for the determination of toremifene and its major human metabolites 565(1991)482

TVX Q 5402
Determination of benperidol and its reduced metabolite in human plasma by high-performance liquid chromatography and electrochemical detection 565(1991)363

Vasopressin
Solid-phase extraction of plasma vasopressin: evaluation, validation and application 565(1991)159

Erratum

J. Chromatogr., 563 (1991) 392–399
Page 394, line 2, the sentence should read "The final acetate buffer concentration was 215 m*M*.".